

AUSTRALIAN PRICE LIST.

OPTIONAL FACTORY EQUIPMENT.

	Price	Weight	Availability on Chassis.
Bogie: Bogie Wheelbase, 55", in place of standard 50" wheelbase (obligatory for 11.00-22 tires) Additional charge for spacing only Heavy Duty Torque Rods Solid Trunnion Shaft	\$139.00 102.00 65.00	122	R & F Series R & F Series R & F Series
Brakes: Alcohol Evaporator (prevents brake line freeze-up) Automatic Drain Valve Front Wheel Brake Limiting Valve Hand Control Valve (for Rear Service Brakes) Hand Control Valve (for Trailer Brakes) Separate Air Brake Reservoir DD3 Aux. Brake	33.00 16.00 40.00 59.00 59.00 59.00 91.00	2 1 5 6 6	R & F Series
Cab: Air Conditioner, Cab Roof mounted, Kysor: installed on non-sleeper cabs installed on sleeper cabs Extended Rider's Seat Rear Window in 'F' Series Sleeper Cabs Sleeper Bunk Safety Straps and Cab Reinforcements Sun Visor, right side Windshield Washers	627.00 653.00 38.00 21.00 50.00 9.00 22.00	180 185 7 2 2	R & F Series F " R " F " R & F Series R & F Series

May, 1968

Ava		

	Price Weight		on Chassis	
Chassis: Heavy Duty Rear Cross Member Tow Hooks Rear	\$64.00 11.00		R Series R Series	
Clutch: Clutch Brake (for CL28 clutch when used with TR722 Series Transmission)	31.00	10	R & F Series	
Driver's Seat. Helper's Seat Bostrom-Viking T-bar Seat Belts, including anchors	42.00 82.00 10.00	25	R Series R & F Series R & F Series	
Engine: Exhaust Brake, for Mack Diesel engines Jacobs Engine Brake, for Mack in-line	170.00	25	R & F Series	
engines	747.00	62	See Note	
Note: Jacobs Engine Brake not available on Maxidyne. Perry Water Filter (Standard with	38.00	5	R & F Series	
Mack V-8 Diesels) Driver Controlled Emergency Engine	30.00	3	4	
Stop Control	17.00	2	R • 11	
Forward Exhaust Ether Cold Starting Aid	70.00 6.00		R & F Series	
Donaldson (Dynaclone) Dry Air Cleaner (not available on F Series Maxidyne)	134.00		R & F Series	
Horns: Electric, Dual Tone Following with Air Brakes only:	5.00	5	R & F Series	
Air, Twin Trumpet Type, Bendix-Westinghouse or Hazley	43.00	12	R & F Series	
Air, Single Trumpet Type, Grover Two Grover Single Trumpet Type Air	48.00	10	R & F Series	
Horns, one each side of cab roof, one control valve	96.00	20	R & F Series	
Instruments: Exhaust Pyrometer for Diesel Engines Tachograph, Wagner 24 hour, for recording	76.00	3	R & F Series	
either engine speed (3500 rpm max.) or road speed (70 mph max.) Tachograph, 24 hour, combination engine	144.00	5	R & F Series	
speed (3500 rpm max.) and road speed (70 mph max.)	203.00	7	R & F Series	
When engine speed Tachograph is furnished, the Tachometer must be omitted; when road speed Tachograph is furnished, the speedometer must be omitted.				
A428			May, 1968.	

	Price W	/eight	Availability on Chassis.
Wig-Wag low air pressure indicator Low Air Pressure Warning Light (in addition	\$38.00	6	R & F Series
to standard buzzer)	17.00	1	R & F Series
	17.00	1	R & F Series
High Water Temperature Warning Buzzer		1	R & F Series
High Water Temperature Warning Light High Water Temperature Warning Buzzer	17.00	1	N & F Series
and Light	30.00	1	R & F Series
Low Oil Pressure Warning Buzzer	17.00	1	R & F Series
Low Oil Pressure Warning Light	17.00	1	R & F Series
Low Oil Pressure Warning Buzzer and Light	30.00	1	R & F Series
Transmission Temperature Gauge	27.00		R & F Series
Rear Axle Temperature Gauge	43.00		R & F Series
Turn Signals Rear	13.00		R & F Series
Tools and Jack:	10.00		
Jack, hydraulic, 12 ton	25.00	37	R & F Series
Power Divider (Inter-wheel)	20,00		
Single Rear Axle: Mack inter-wheel Power			
Divider Differential (for Dual Reduction			
	187.00	10	R & F Series
Rear Axles only)	101.00	10	It do I belled
Bogie: Mack Inter-wheel Power Divider			
Differentials, one in each carrier of bogie:			
For bogies with CRD92 - CRD93 or	366.00	20	R & F Series
CRD112 - CRD113 series carriers	300.00	20	n & r beries
Power Divider Lockout:	100.00	50	D O E Coming
Manual Air Valve Control	132.00	50	R & F Series
Power Steering:			
Air-O-Matic (in addition to manual steering			
gear):		0.5	D 0 D 0 .
For FA534, FA535, FA532 series	320.00	65	R & F Series
For FA600, FA604 series	373.00	75	R & F Series
Reflectors:			
Two Red Reflectors on Cab Rear	7.00	2	R & F Series
Retarder:			
Thompson, hydraulic retarder type brake			
unit, operating on axle pinion shaft			
extension of top mounted carriers	1585.00	310	See note.
Note: Limited to chassis offering			
bogies SWD57.			
Spare Rim:			
7.5 x 20 each	25.00	69	
7.5 x 22	25.00	77	See
8.0 x 20	25.00	79	Chassis
8.0 x 22	28.00	86	Spec.
Springs:			
Heavy Duty Front	34.00		R & F Series.

			Availability
	Price	Weight	on Chassis.
Trailer Connections:			
Break-away Safety Valve, Std. Shut-off Valves			
are Omitted (Available where Semi-Trailer			
or Full Trailer Connections are specified)			
Minimum I.C.C. Requirement	\$38.00) 6	R & F Series
Brake and Electrical Connections			
Front and Rear	147.00)	R & F Series
P. T. O.	718.00)	R Series
Chelsea Heavy Duty 86CD	41.00		R & F Series
Right and Left P. T.O. openings TRQ7220	11.00		
Misc.			
Flexible wire braid reinforced air, oil and			
fuel lines:			
Following prices apply when Factory Order			
does not specify a particular brand of			
'Flex Lines':	48.00	0 12	R & F Series
Four-wheel chassis			R & F Series
Six-wheel chassis	69.00	0 15	n & r beries
Exhaust Pipe Clearance for right side PTO			
(Specify make, model and adaptor number for			D. C
PTO) available with Vertical Exhaust only	12.0		R Series
PTO Clearance, left side	10.0	0	R Series
Two Rear Directional Signal Lamps, single			
faced, shipped loose	10.0	0 2	R & F Series
Protected Air Reservoir	59.0	0	R & F Series
	80.0		R & F Series.
Battery Disconnect Switch (Mak-safe)	00.0		20 00 2 202 2001